

116TH CONGRESS  
2D SESSION

# H. R. 8371

To promote low-carbon, high-octane fuels, to protect public health, and to improve vehicle efficiency and performance, and for other purposes.

---

## IN THE HOUSE OF REPRESENTATIVES

SEPTEMBER 24, 2020

Mrs. BUSTOS introduced the following bill; which was referred to the Committee on Energy and Commerce

---

## A BILL

To promote low-carbon, high-octane fuels, to protect public health, and to improve vehicle efficiency and performance, and for other purposes.

1       *Be it enacted by the Senate and House of Representatives of the United States of America in Congress assembled,*

**3 SECTION 1. SHORT TITLE.**

4       This Act may be cited as the “Next Generation Fuels  
5 Act of 2020”.

**6 SEC. 2. TABLE OF CONTENTS.**

7       The table of contents of this Act is as follows:

Sec. 1. Short title.

Sec. 2. Table of contents.

### TITLE I—LOW-CARBON HIGH-OCTANE FUELS

Sec. 101. High-octane certification fuel.

## Sec. 102. Clean octane standard.

## TITLE II—REGULATORY HARMONIZATION

### Sec. 201. Reid vapor pressure.

### Sec. 202. Fuel economy adjustment.

Sec. 203. E30.

Sec. 204. Replacement of motor vehicle emissions simulator (MOVES) model.

### TITLE III—INFRASTRUCTURE

### Sec. 301. High-efficiency vehicles.

Sec. 302. Performance standards for new e30 infrastructure.

### Sec. 303. CAFE and GHG credit generation.

# **TITLE I—LOW-CARBON HIGH-OCTANE FUELS**

### 3 SEC. 101. HIGH-OCTANE CERTIFICATION FUEL.

4           (a) IN GENERAL.—Not later than January 1, 2022,  
5 the Administrator of the Environmental Protection Agen-  
6 cy shall take such actions as are necessary to allow the  
7 use of a certification test fuel described in subsection (b)  
8 for purposes of—

(b) CERTIFICATION TEST FUEL DESCRIBED.—A certification test fuel referred to in subsection (a) shall—

(1) have a research octane number of 98; and

1                         (2) be blended by adding sources of octane  
2                         value that meet the requirements of subsection (c) to  
3                         the low-level ethanol-gasoline blend test fuel used to  
4                         certify model year 2020 light-duty vehicles.

5                         (c) LOW-CARBON REQUIREMENT.—In carrying out  
6                         subsection (a), the Administrator of the Environmental  
7                         Protection Agency shall ensure that the sources of octane  
8                         value for the certification test fuel allowed under sub-  
9                         section (a) have average lifecycle greenhouse gas emis-  
10                         sions, as determined by the Secretary of Energy using the  
11                         version of the Argonne National Laboratory Greenhouse  
12                         gases, Regulated Emissions, and Energy use in Transpor-  
13                         tation (GREET) model in effect as of the date of enact-  
14                         ment of this Act, that are at least 30 percent less than  
15                         the baseline lifecycle greenhouse gas emissions.

16                         (d) DEFINITIONS.—In this section:

17                         (1) BASELINE LIFECYCLE GREENHOUSE GAS  
18                         EMISSIONS.—The term “baseline lifecycle green-  
19                         house gas emissions” means the average lifecycle  
20                         greenhouse gas emissions, as determined by the Ad-  
21                         ministrator of the Environmental Protection Agency  
22                         in consultation with the Director of the Argonne Na-  
23                         tional Laboratory, for unblended gasoline sold or  
24                         distributed as transportation fuel in 2018.

(2) LIFECYCLE GREENHOUSE GAS EMISSIONS.—The term “lifecycle greenhouse gas emissions” means the aggregate quantity of greenhouse gas emissions as determined by using the version of the Argonne National Laboratory Greenhouse gases, Regulated Emissions, and Energy use in Transportation (GREET) model as in effect on the date of enactment of this Act.

(3) LIGHT-DUTY VEHICLE.—The term “light-duty vehicle” has the meaning given to that term in section 216 of the Clean Air Act (42 U.S.C. 7550).

## 16 SEC. 102. CLEAN OCTANE STANDARD.

17       (a) REQUIREMENTS.—Section 211 of the Clean Air  
18 Act (42 U.S.C. 7545) is amended—

21                   (2) in subsection (d)(2), by striking “or (o)”  
22                   each place it appears and inserting “(o), or (w)”;  
23                   and

24 (3) by inserting at the end the following:

25 "(w) CLEAN OCTANE STANDARD.—

1           “(1) AROMATICS.—

2           “(A) ANNUAL AVERAGE LIMITATION.—Ef-  
3           fective January 1, 2023, no refiner or importer  
4           shall sell motor vehicle gasoline that contains,  
5           on an average annual basis, an aromatic hydro-  
6           carbon content in excess of 17.5 percent.

7           “(B) CAP.—Effective January 1, 2023, no  
8           person shall sell motor vehicle gasoline that  
9           contains an aromatic hydrocarbon content in  
10          excess of 17.5 percent.

11          “(C) REGULATIONS.—

12          “(i) PROMULGATION.—The Adminis-  
13           trator of the Environmental Protection  
14           Agency shall promulgate regulations to im-  
15           plement this paragraph. Not later than  
16           January 1, 2023, the Administrator shall  
17           promulgate final regulations under the pre-  
18           ceding sentence.

19          “(ii) TRADEABLE CREDITS.—The reg-  
20           ulations to implement this paragraph  
21           shall—

22          “(I) allow for the generation of  
23           tradeable credits to meet the require-  
24           ment of subparagraph (A); and

1                         “(II) provide that any such cred-  
2                         its shall expire after not more than 5  
3                         years.

4                         “(2) CLEAN OCTANE.—

5                         “(A) PROHIBITION.—Effective January 1,  
6                         2023, no refiner or importer shall introduce any  
7                         source of octane value into motor vehicle gaso-  
8                         line with a research octane number of 98 or  
9                         higher unless such source of octane value has  
10                         average lifecycle greenhouse gas emissions, as  
11                         determined by the Secretary of Energy using  
12                         the version of the Argonne National Laboratory  
13                         Greenhouse gases, Regulated Emissions, and  
14                         Energy use in Transportation (GREET) model  
15                         in effect as of the date of enactment of the  
16                         Next Generation Fuels Act of 2020, that are at  
17                         least 30 percent less than the baseline lifecycle  
18                         greenhouse gas emissions.

19                         “(B) REGULATIONS.—

20                         “(i) PROMULGATION.—The Adminis-  
21                         trator of the Environmental Protection  
22                         Agency shall promulgate regulations to im-  
23                         plement this paragraph. Not later than  
24                         January 1, 2023, the Administrator shall

1                   promulgate final regulations under the pre-  
2                   ceding sentence.

3                   “(ii) CONTENTS.—The regulations to  
4                   implement this paragraph shall—

5                   “(I) determine the baseline  
6                   lifecycle greenhouse gas emissions for  
7                   purposes of this paragraph;

8                   “(II) determine the average  
9                   lifecycle greenhouse gas emissions of  
10                  sources of octane value for purposes  
11                  of this paragraph; and

12                  “(III) ensure that the require-  
13                  ments of this paragraph are met.

14                  “(3) DEFINITIONS.—In this subsection, the  
15                  terms ‘baseline lifecycle greenhouse gas emissions’,  
16                  ‘lifecycle greenhouse gas emissions’, and ‘research  
17                  octane number’ have the meanings given to those  
18                  terms in section 101 of the Next Generation Fuels  
19                  Act of 2020.”.

20                  (b) REFORMULATED GASOLINE.—Clause (ii) of sec-  
21                  tion 211(k)(3)(A) of the Clean Air Act is (42 U.S.C.  
22                  7545(k)(3)(A)) is amended to read as follows:

23                  “(ii) AROMATICS.—The aromatic hy-  
24                  drocarbon content of the reformulated gas-  
25                  oline—

1                         “(I) shall not exceed 25 percent  
2                         by volume; and  
3                         “(II) beginning January 1, 2023,  
4                         shall not exceed 17.5 percent by vol-  
5                         ume.”.

## 6                     **TITLE II—REGULATORY 7                     HARMONIZATION**

### 8                     **SEC. 201. REID VAPOR PRESSURE.**

9                     (a) REID VAPOR PRESSURE LIMITATION.—Section  
10                  211(h) of the Clean Air Act (42 U.S.C. 7545(h)) is  
11                  amended—

12                  (1) in paragraph (4)—

13                      (A) in the matter preceding subparagraph  
14                      (A), by inserting “or more” after “10 percent”;  
15                      and

16                      (B) in subparagraph (C), by striking “ad-  
17                      ditional alcohol or”; and

18                  (2) in paragraph (5)(A), by inserting “or more”  
19                  after “10 percent”.

20                  (b) EXISTING WAIVERS.—Section 211(f)(4) of the  
21                  Clean Air Act (42 U.S.C. 7545(f)(4)) is amended—

22                  (1) by striking “The Administrator, upon” and  
23                  inserting “(A) The Administrator, upon”; and

24                  (2) by adding at the end the following:

1       “(B) A fuel or fuel additive with respect to which a  
2 waiver has been granted in accordance with subparagraph  
3 (A) prior to January 1, 2019, and that meets all of the  
4 conditions of that waiver, other than the waiver’s limits  
5 for Reid vapor pressure, may be introduced into commerce  
6 if the fuel or fuel additive meets all other applicable Reid  
7 vapor pressure requirements.”.

8 **SEC. 202. FUEL ECONOMY ADJUSTMENT.**

9       For purposes of fuel economy testing and calculation  
10 procedures under section 32904(c) of title 49, United  
11 States Code, the fuel economy of motor vehicles using a  
12 certification test fuel allowed under section 101 of this Act  
13 shall be determined on an energy-equivalent basis, cal-  
14 culated by multiplying fuel economy (as measured under  
15 such section 32904(c) without regard to this section) by  
16 the ratio of—

17              (1) 114,086 British thermal units per gallon;  
18              divided by  
19              (2) the volumetric energy density of such test  
20              fuel.

21 **SEC. 203. E30.**

22       Section 211(f)(4) of the Clean Air Act (42 U.S.C.  
23 7545(f)(4)), as amended by section 201(b) of this Act, is  
24 further amended by adding at the end the following:

1       “(C) Beginning January 1, 2022, a fuel with a con-  
2 centration of ethanol that is more than 15 percent and  
3 not more than 30 percent, shall be deemed to have re-  
4 ceived a waiver in accordance with subparagraph (A).”.

5 **SEC. 204. REPLACEMENT OF MOTOR VEHICLE EMISSIONS**

6                   **SIMULATOR (MOVES) MODEL.**

7       Section 211(q)(2) of the Clean Air Act (42 U.S.C.  
8 7545) is amended—

9                   (1) by striking “For purposes of this section”  
10          and inserting the following:

11                   “(A) INITIAL MODEL.—For purposes of  
12          this section”; and

13                   (2) by adding at the end of the following:

14                   “(B) NEW MODEL.—Not later than 24  
15          months after the date of enactment of the Next  
16          Generation Fuels Act of 2020, the Adminis-  
17          trator shall develop and finalize an emissions  
18          model based on appropriate test fuels and  
19          methods to replace the emissions model under  
20          subparagraph (A).

21                   “(C) DEFINITION.—For purposes of sub-  
22          paragraph (B), the term ‘appropriate test fuels  
23          and methods’ means test fuels and methods  
24          that rely on commercially available fuel and ac-

1           curately reflect the profile of higher ethanol  
2           blends.”.

### 3           **TITLE III—INFRASTRUCTURE**

#### 4           **SEC. 301. HIGH-EFFICIENCY VEHICLES.**

5           (a) IN GENERAL.—Part A of title II of the Clean Air  
6       Act (42 U.S.C. 7521 et seq.) is amended by adding at  
7       the end the following new section:

#### 8           **“SEC. 220. OCTANE SPECIFICATION.**

9           “(a) APPLICABILITY.—This section applies with re-  
10      spect to any motor vehicle (other than a motorcycle) that  
11      is introduced into commerce that—

12           “(1) is a light-duty vehicle or light-duty truck;  
13           “(2) is a model year 2024 or later motor vehi-  
14      cle; and

15           “(3) uses gasoline for propulsion or any other  
16      operation of the motor vehicle, including the engine  
17      thereof.

18           “(b) WARRANTY REQUIREMENTS.—The manufac-  
19      turer of a motor vehicle described in subsection (a) shall  
20      warrant to the ultimate purchaser and each subsequent  
21      purchaser that each such motor vehicle is designed—

22           “(1) to operate with gasoline containing up to  
23      and including 30 percent ethanol; and

24           “(2) to meet the design requirements under  
25      subsection (c).

1       “(c) DESIGN REQUIREMENTS.—The manufacturer of  
2 a motor vehicle described in subsection (a) shall design  
3 each such motor vehicle—

4           “(1) to operate using gasoline that has a re-  
5 search octane number (as defined in section 101 of  
6 the Next Generation Fuels Act of 2020) of 98 or  
7 higher; and

8           “(2) to improve fuel economy connected to the  
9 use of gasoline that has a research octane number  
10 (as defined in section 101 of the Next Generation  
11 Fuels Act of 2020) of 98 or higher.

12       “(d) ENFORCEMENT.—

13           “(1) VIOLATIONS.—Any manufacturer who vio-  
14 lates subsection (b) or (c) shall be subject to a civil  
15 penalty of not more than \$25,000. Any such viola-  
16 tion shall constitute a separate offense with respect  
17 to each motor vehicle.

18           “(2) CIVIL ACTIONS; ADMINISTRATIVE ASSESS-  
19 MENT OF CERTAIN PENALTIES.—The provisions of  
20 subsections (b) and (c) of section 205 shall apply  
21 with respect to a violation of subsection (b) or (c)  
22 of this section to the same extent and in the same  
23 manner as such provisions apply with respect to a  
24 violation of section 203(a)(3).

1       “(e) CONSULTATION.—In promulgating regulations  
2 to carry out this section, the Administrator shall consult  
3 with persons to be regulated under this section.”.

4       (b) REGULATIONS.—The Administrator of the Envi-  
5 ronmental Protection Agency shall—

6           (1) not later than 24 months after the date of  
7 enactment of this Act, propose regulations to carry  
8 out the amendments made by this section; and

9           (2) not later than 30 months after such date of  
10 enactment, finalize regulations to carry out the  
11 amendments made by this section.

12 **SEC. 302. PERFORMANCE STANDARDS FOR NEW E30 INFRA-**  
13           **STRUCTURE.**

14       Section 9003 of the Solid Waste Disposal Act (42  
15 U.S.C. 6991b) is amended by adding at the end the fol-  
16 lowing:

17       “(k) E30 RETAIL DISPENSER SYSTEMS.—

18           “(1) IN GENERAL.—The Administrator shall,  
19 not later than 1 year prior to the effective date spec-  
20 ified in paragraph (3), issue or revise, as necessary,  
21 performance standards for dispenser systems de-  
22 scribed in paragraph (2) to require that such dis-  
23 penser systems be compatible with automotive fuel  
24 with a concentration of up to and including 30 per-  
25 cent ethanol by volume.

1           “(2) DISPENSER SYSTEMS.—This subsection  
2        applies with respect to dispenser systems that are—

3               “(A) on or after the effective date specified  
4        in paragraph (3), brought into use to dispense  
5        at retail automotive fuel from an underground  
6        storage tank; and

7               “(B) subject to regulation under sections  
8        1910.106 and 1926.152 of title 29, Code of  
9        Federal Regulations (as in effect on the date of  
10      enactment of this subsection).

11          “(3) EFFECTIVE DATE.—Standards issued or  
12        revised pursuant to paragraph (1) shall take effect  
13        on January 1, 2024.

14          “(4) DEFINITIONS.—In this subsection:

15               “(A) AUTOMOTIVE FUEL.—The term  
16        ‘automotive fuel’ has the meaning given such  
17        term in section 201(6) of the Petroleum Mar-  
18        keting Practices Act (15 U.S.C. 2821(6)).

19               “(B) COMPATIBLE.—The term ‘compat-  
20        ible’ means, to the extent feasible, certified by  
21        a nationally recognized testing laboratory recog-  
22        nized by the Occupational Safety and Health  
23        Administration in accordance with section  
24        1910.7 of title 29, Code of Federal Regulations  
25        (or any successor regulations) to maintain sys-

1           tem performance throughout the operational life  
2           of the dispenser system.

3           “(C) DISPENSER SYSTEM.—The term ‘dis-  
4           penser system’ has the meaning given such  
5           term in section 280.12 of title 40, Code of Fed-  
6           eral Regulations (as in effect on the date of en-  
7           actment of this subsection).”.

8 **SEC. 303. CAFE AND GHG CREDIT GENERATION.**

9           (a) IN GENERAL.—Subsection (a) of section 32906  
10          of title 49, United States Code, is amended—

11           (1) by striking “1993 through 2019” and in-  
12           serting “1993 through 2035”; and

13           (2) by striking “the maximum increase in aver-  
14           age fuel economy for a manufacturer attributable to  
15           dual fueled automobiles is” and all that follows  
16           through the end of the subsection and inserting “the  
17           maximum increase in average fuel economy for a  
18           manufacturer attributable to dual fueled automobiles  
19           is 1.2 miles per gallon.”.

20           (b) CONFORMING AMENDMENTS.—Section 32905 of  
21          title 49, United States Code, is amended—

22           (1) in subsection (b), by striking “2019,” and  
23           inserting “2035,”; and

1                   (2) in subsection (d), by striking “2019,” and  
2                   inserting “2035.”

○